Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Data Sheet
Fujitsu LIFEBOOK T901 Tablet PC

Your ultimate mobile meeting tool

LIFEBOOK T901

The LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.

Notebook and versatile tablet PC in one

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch with the dual digitizer.

- Bi-directional rotatable 33.8 cm (13.3-inch, 16:10) display including LED rotation indicators and active digitizer for pen-input or dual digitizer for pen input plus capacitive multiple-touch screen for finger input

Flexible working

Increase your productivity and adapt the Notebook to your particular way of work

- Modular bay for an optional second hard disk drive, DVD/Blu-Ray drive, second battery or weight saver
- Optional 0-Watt AC Adapter reduces energy consumption as it guarantees that the notebook does not consume electricity when it is turned off

Maximum connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

- Optional integrated 3G/UMTS (incl. GPS), WLAN and Bluetooth

Highest security

Protect your company data against unauthorized third-party access.

- Fujitsu Advanced Theft Protection, Computrace® enabled BIOS, fingerprint sensor, SmartCard reader, optionally integrated TPM module and FDE Solid State Disks and FDE Hard Disk Drives

Ergonomic working

Brilliant display with automatic adaption of the brightness to your working environment.

- High brightness LED WXGA display with integrated Ambient Light Sensor (ALS)

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Components

Processor	Intel® Core™ i7-2620M processor (2.7 GHz, 4 MB)	
	Intel® Core™ i5-2520M processor (2.5 GHz, 3 MB)	
	Intel® Core™ i5-2410M processor (2.3 GHz, 3 MB) *	
	Intel® Core™ i3-2310M processor (2.1 GHz, 3 MB) *	
	*Processor only for retail, SMB, education and government	
Operating system		
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit	
Operating system compatible	Genuine Windows® XP Tablet PC Edition 2005 Genuine Windows Vista® Business 32-bit Genuine Windows Vista® Business 64-bit	
Operating system notes	Driver support for Microsoft® Windows® XP Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.	
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
Supported capacity RAM (max.)	8 GB	
Memory slots total	2	
Memory slot type	DIMM (DDR3)	
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch	
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.	
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software	
WLAN (optional)	Atheros Minicard b/g/n	
	Intel® Centrino® 6205 802.11 a/b/g/n	
Wireless technologies		
Antennas	2x dual band for WLAN, 2x for UMTS (bundeled to UMTS module), 1x for Bluetooth (on Bluetooth module)	
WLAN notes	Import and usage according to country-specific regulations.	
UMTS notes	Including GPS functionality	
WiDi support	Yes (with Intel W-LAN)	
3G/UMTS (optional)	Sierra Wireless Gobi 3000 (downlink 14.4 Mbit/s, uplink 5.76 Mbit/s)	
Bluetooth (optional)	Bluetooth 3.0	
Modular bay options	2nd battery	
	Blu-ray Disc™ Triple Writer	
	DVD Super Multi	
	Weight saver	
Base unit	LIFEBOOK T901 dual digitizer	LIFEBOOK T901 active digitizer

General system information		
Chipset	Intel® QM67	
Chipset notes	supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN & TPM module	
BIOS features	BIOS Flash EPROM BIOS based on Phoenix TrustedCore Notebook	
Display	33.8 cm (13.3-inch), TFT, (WXGA), Anti-glare touchscreen, 1280 x 800 pixel, 500:1, 300 cd/m²	33.8 cm (13.3-inch), TFT, (WXGA), Anti-glare Berliner Glass shield, 1280 x 800 pixel, 500:1, 300 cd/m²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.	
Aspect ratio	16:10	
Brightness - typical	300 cd/m²	
Contrast - typical	500:1	
Digitizer	Dual Digitizer for pen input plus capacitive 5-finger multi-touch screen	Active digitizer for pen input
Ambient light sensor	Integrated	
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight	
Graphics		
TFT resolution (HDMI)	up to 1920 x 1200	
TFT resolution (VGA)	up to 1920 x 1200	
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200	
TFT resolution (DisplayPort on Port Replicator)	2560 x 1600 pixel	
Max. resolution external display	1920 x 1200 / true color / 85 Hz	
Graphics brand name	Intel® HD Graphics	
Graphics features	DualView DirectX® 10.1 support	
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator	
Interfaces		
Memory card slots	1 (SD/SDHC/SDXC/MS/MSPro)	
ExpressCard slots	1 (34mm and 54mm supported)	
SmartCard slot	1	
SIM card slot	1 (usable only with 3G/UMTS)	
Modem (RJ-11)	1 (optional; exclusive with 3G/UMTS)	
USB 3.0 total	1	
USB 2.0 total	2 (1 with Anytime USB Charge functionality)	
FireWire (IEEE1394)	1	
VGA	1	
HDMI	1	
Ethernet (RJ-45)	1	
DC-in	1	
Audio: line-in / microphone	1	
Audio: line-out / headphone	1	
Internal microphones	2	
Docking connector for Port Replicator	1	
Kensington Lock support	1	
Wired communication		
Modem type	Optional: 56 K V.92 modem MDC1.5	
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM	

Keyboard and pointing devices

	Optional spill-resistand keyboard or anti-bacterial spill-resistant keyboard	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 3 mm	
	Fingerprint sensor Launch keys Application buttons Tablet Pen Touch-screen Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel	Fingerprint sensor Launch keys Application buttons Tablet Pen Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel

Multimedia

Audio type	On board	
Audio codec	Realtek ALC269	
Audio features	2 digital array microphones, 2x built-in speakers (stereo)	
Camera	Optional: Built-in webcam, 2.0 megapixel	

Power supply

AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology	
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter	
1st battery	Li-Ion battery 6-cell, 6200 mAh, 67 Wh	
	Li-Ion battery 6-cell, 5800 mAh, 63 Wh	
	Li-Ion battery 6-cell	
2nd battery (optional)	Li-Ion battery 6-cell, 3800 mAh, 41 Wh	
Battery features	Dynamic charge supported (rapid charge)	
Runtime 1st battery	up to 9 h	up to 9 h
Runtime 1st + 2nd battery	up to 14 h	
Battery charging time	~ 180min (6.200mAh) ~240min (5.800mAh)	
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.	

Dimensions / Weight / Environmental

Dimensions (W x D x H)	319 x 244 x 36 (without foot)	
Weight	from 2.0 kg	
Weight notes	Actual weight may vary depending on configuration	
Operating ambient temperature	5 - 35°C	
Operating relative humidity	20 - 85 % (running)	

Additional Software

Additional software (preinstalled)	Adobe Acrobat Reader Microsoft® Touch Pack for Windows® 7 Nero Essentials (burning software) Norton Internet Security (incl. Firewall) 90 days version Application Panel Auto Rotation Utility Camera Display Manager Fujitsu Recovery (Hard Disk Based Recovery) Plugfree Network Power Saving Utility Security Application Panel ShockSensor Utility Tablet Button Utility Wireless Selector Utility	Adobe Acrobat Reader Nero Essentials (burning software) Norton Internet Security (incl. Firewall) 90 days version Application Panel Auto Rotation Utility Camera Display Manager Fujitsu Recovery (Hard Disk Based Recovery) Plugfree Network Power Saving Utility Security Application Panel ShockSensor Utility Tablet Button Utility Wireless Selector Utility
Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Recovery DVD (Windows® 7)	

Manageability	
Manageability features	DeskUpdate Driver management Intel® vPro™ technology iAMT 7.0
Manageability type	DeskView 10.x client management including:
DeskView features	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html

Security	
Physical security	Kensington Lock support
System security	Advanced Theft Protection Computrace® enabled BIOS Norton Internet Security (incl. Firewall) 90 days version Write protect option for the Flash EPROM Control of all USB interfaces User and supervisor BIOS password Optional: Trusted platform module (TPM 1.2)
User security	Integrated Fingerprint Sensor Integrated SmartCard slot SMARTACCESS+ incl. fingerprint sensor & security software SystemLock BIOS SmartCard security User and supervisor BIOS password Hard disk password

Compliance	
Product	LIFEBOOK T901
Germany	GS in progress
Europe	CE CE! CB IT-Eco-Declaration EN 60601-1-2:2007 certified for use in environment with medical application (optional)
USA/Canada	FCC Class B cUL
Global	Microsoft Operating Systems (HCT / HCL entry / WHQL) RoHS (Restriction of hazardous substances) WiFi certified WEEE (Waste electrical and electronical equipment) EPEAT® in progress ENERGY STAR® 5.0
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Port Replicator interfaces (optional)	
DC-in	1
Power on switch	1
Audio: line-out	1
USB 2.0 total	4

Port Replicator interfaces (optional)	
DisplayPort	1
VGA	1
DVI	1
Ethernet (RJ-45)	1
Kensington Lock support	1

Warranty	
Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on county specific requirements)
Maintenance and Support Services - the perfect extension	
Recommended Service	3 years, Collect and Return Service, where available: On-site Service
Spare Parts availability	5 years
Service Weblink	htttp://ts.fujitsu.com/Supportservice

Recommended Accessories

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK T901, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures
With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK T901, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
http://ts.fujitsu.com/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT
FUJITSU Technology Solutions
Website: http://ts.fujitsu.com
2011-03-07 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions